

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name: **RHEOCRETE 222+**

Company: BASF South East Asia Pte Ltd
Address: 33 Tuas Avenue 11
Singapore 639090
Telephone number: +65 6861 6766
Facsimile: +65 6861 3186

Emergency telephone numbers: +65 6861 6766

2. HAZARDS IDENTIFICATION

Safety hazards: Not known.
Health hazards: HMIS hazard rating #1 (minimal hazard).
Primary route of entry: Dermal.
Environmental hazards: See Section 12.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Aqueous mixtures of amines and esters.
Hazardous Ingredients: Amine
CAS No: 141-43-5
Hazard symbols: n.a.
R-phrases: n.a.
% Concentration: < 25%

4. FIRST AID MEASURES

Ingestion: Wash mouth thoroughly with water and give water to drink followed by milk of magnesia. Obtain medical attention.
Eyes: While holding eyes open, gently flood with plenty of fresh water for 15 minutes. If irritation persists or recurs seek immediate medical attention. Skilled personnel should only undertake removal of contact lenses after an eye injury.
Skin: Wash contacted area thoroughly with soap and plenty of water. Seek medical attention in event of irritation.
Inhalation: Remove affected person to fresh air if effects occur.
First aid facilities: Ensure availability of clean water for eye/skin wash.
Advice to doctor: Treat symptomatically.

MATERIAL SAFETY DATA SHEET

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: For residual solids, use water spray, CO₂, dry chemical or universal type foams.

Hazards from combustion products: None. Product is non-combustible

Precautions and equipment for fire fighters: Eye protection required.

6. ACCIDENTAL RELEASE MEASURES

Methods for clean up / collecting: Caution slippery when spilt. Stop leak if possible without risk.
Use absorbent for major spillage. Wash down residue with excess water.

Environmental precautions: May be flushed down sewers if local regulations permit

Personal precautions: Eye protection and skin protection required. Employ respiratory protection where spray or mist may be generated and use with adequate ventilation.

7. HANDLING AND STORAGE

Conditions for safe storage

Location: Store in a cool dry area. Keep containers closed.

Temperature conditions: 5 to 35°C

Protection from weather: Store undercover and away from frost.

Storage incompatibilities: n.a.

Additional information: Recommended shelf life in unopened containers 12 months.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards: Not available

Engineering controls: Natural ventilation should be adequate under normal use conditions. Keep containers closed when not in use.

Personal Protective Equipment This product is not classified as hazardous, so PPE is not normally essential. However, it is generally recommended that contact with any chemical be kept to a minimum. Following is a guide to suggested PPE that may be utilised for handling this product.

Respiratory protection: Use respiratory protection where spray or mist may be generated.

Glove type (AS2161): Protective gloves or suitable barrier cream recommended.

Eye protection: Wear safety glasses, which comply with local standards.

Clothing: Protective industrial clothing recommended. Remove contaminated clothing as soon as possible. Launder thoroughly before reusing. For large spills or ponded areas impervious footwear is preferred.

Other: Use barrier creams to protect skin from contact with the material. Always wash hands before smoking, eating, drinking or using the toilet and after finishing work. Observe the usual precautions when handling chemicals.

MATERIAL SAFETY DATA SHEET

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid.
Colour:	Cloudy white.
Odour:	None.
Freezing temperature (°C):	0.
Boiling point(°C):	100.
Melting point (°C):	n.a.
Vapour pressure:	n.a.
Vapour density:	n.a.
Specific gravity:	0.976
Flash point (°C):	93 (Penske Martin Closed Cup)
Flammability limits (%):	UEL – n.a. LEL – n.a.
Solubility in water:	Miscible in water.
pH:	10 - 12.
Partition coefficient:	n.d.
Viscosity:	n.a.

10. STABILITY AND REACTIVITY

Hazard of use/storage:	Stable under normal storage and application temperature.
Hazardous reactions (conditions to avoid):	Not below 1.7 °C.
Materials to avoid:	Strong mineral acids and strong oxidizing agents.
Hazardous decomposition products:	Carbon dioxide and carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Acute

Ingestion:	n.d.
Eye:	n.d.
Skin:	n.d.
Inhalation:	n.d.

Chronic: There have been no reports in the literature of health effects in workers arising from long term exposure to this material and no comprehensive human studies have been conducted.

12. ECOLOGICAL INFORMATION

Ecology:	n.d.
----------	------

MATERIAL SAFETY DATA SHEET

13. DISPOSAL CONSIDERATIONS

Disposal Methods

State/Territory authority:	Dispose in approved method for industrial waste in accordance with local legislation requirements.
Dispose – Secure landfill:	Yes.
Dispose – High temp incinerator:	No
Precautions for clean up crew:	Nitrile rubber or PVC gauntlets.

14. TRANSPORT INFORMATION

UN number:	n.a.
Dangerous goods class:	n.a.
EPG card:	n.a.
Shipping name:	n.a.
Packing group:	n.a.
Poisons schedule:	n.a.
Hazchem code:	n.a.

15. REGULATORY INFORMATION

Classification:	Non-hazardous.
Hazard labels:	None required.
Risk phrase(s):	n.as.
Safety phrase(s):	n.as.

16. OTHER INFORMATION

Key:

n.a. = not applicable
n.as. = not assigned
n.d. = no data

Reason for Issue: New format based on National Code of Practice for the preparation of MSDS – 2nd edition [NOHSC:2011(2003)]. Change of company name.

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request. All information contained in this MSDS is as accurate and up-to-date as possible. No warranty expressed or implied is made as to its accuracy, reliability or completeness.