

Safety data sheet

Page: 1/7

BASF Safety data sheet

Date / Revised: 17.02.2010

Product: **MASTERSEAL 300H GREY (SONOSHIELD 300H GREY)**

Version: 3.0

(30398484/SDS_GEN_SG/EN)

Date of print 13.03.2010

1. Substance/preparation and company identification

MASTERSEAL 300H GREY (SONOSHIELD 300H GREY)

Use: Product for construction chemicals

Company:

BASF South East Asia Pte Ltd.

7 Temasek Boulevard,

#35-01 Suntec Tower One, 038987, SINGAPORE

Telephone: +65 6 337-0330

Telefax number: +65 6 334-0330

E-mail address: tommy.chng@basf.com

Emergency information:

International emergency number:

Telephone: +49 180 2273-112

2. Composition/information on ingredients

Chemical nature

Preparation based on: polyacrylates, fillers, pigments

Hazardous ingredients

| a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1)

Content (W/W): >= 15 PPM - <= 50 PPM

CAS Number: 55965-84-9

INDEX-Number: 613-167-00-5

Hazard symbol(s): T, N

R-phrases(s): 23/24/25, 34, 43, 50/53

The wording of the hazard symbols and R-phrases is specified in chapter 16 if dangerous ingredients are mentioned.

3. Hazard identification

May cause sensitization by skin contact.

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

5. Fire-Fighting Measures

Suitable extinguishing media:

foam, water spray, dry extinguishing media, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

carbon monoxide, carbon dioxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions:

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.

For large amounts: Pump off product.

7. Handling and Storage

Handling

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.

Protection against fire and explosion:

The product does not contribute to the spreading of flames, nor is it self combustible, not explosive. Take precautionary measures against static discharges.

Storage

Suitable materials for containers: High density polyethylene (HDPE)

Further information on storage conditions: Keep only in the original container in a cool, well-ventilated place. Protect from direct sunlight. Store protected against freezing.

Protect from temperatures below: 5 °C

Protect from temperatures above: 35 °C

8. Exposure controls and personal protection

Components with workplace control parameters

a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1), 55965-84-9;

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

BASF Safety data sheet

Date / Revised: 17.02.2010

Version: 3.0

Product: **MASTERSEAL 300H GREY (SONOSHIELD 300H GREY)**

(30398484/SDS_GEN_SG/EN)

Date of print 13.03.2010

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other
 Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use.
 Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

Form: liquid
 Colour: grey
 Odour: characteristic

pH value: approx. 8
 (20 °C)

Information on: water
 solidification temperature: 0 °C

Information on: water
 boiling temperature: 100 °C
 (1,000 hPa)

Flash point: A flash point determination is unnecessary due to the high water content.

Flammability: does not ignite

Lower explosion limit: not available

Upper explosion limit: not available

Explosion hazard: not explosive

Information on: water
 Vapour pressure: 23 mbar
 (20 °C)

BASF Safety data sheet

Date / Revised: 17.02.2010

Product: MASTERSEAL 300H GREY (SONOSHIELD 300H GREY)

Version: 3.0

(30398484/SDS_GEN_SG/EN)

Date of print 13.03.2010

Density:	approx. 1.3 g/cm ³ (25 °C)
Solubility in water:	miscible (20 °C)
Viscosity, dynamic:	approx. 2,000 mPa.s (approx. 25 °C)

10. Stability and Reactivity

Conditions to avoid:

| See MSDS section 7 - Handling and storage.

Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
------------------------	---

Substances to avoid:

| strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

| The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

| LD50 rat (oral): > 2,000 mg/kg

| The product has not been tested. The statement has been derived from products of a similar structure and composition.

Irritation

| Primary skin irritation rabbit: non-irritant

| The product has not been tested. The statement has been derived from products of a similar structure and composition.

| Primary irritations of the mucous membrane rabbit: non-irritant

| The product has not been tested. The statement has been derived from products of a similar structure and composition.

Sensitization

| Information on: a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1)

| Assessment of sensitization:

| Caused skin sensitization in animal studies. Caused sensitization in humans.

12. Ecological Information

Ecotoxicity

Aquatic invertebrates:

EC50 (48 h) > 1,000 mg/l, Daphnia magna

The product has not been tested. The statement has been derived from products of a similar structure and composition.

13. Disposal Considerations

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Regulations of the European union (Labelling)

Directive 1999/45/EC ('Preparation Directive'):

Hazard symbol(s)

Xi

Irritant.

R-phrases(s)

R43

May cause sensitization by skin contact.

BASF Safety data sheet
 Date / Revised: 17.02.2010
 Product: MASTERSEAL 300H GREY (SONOSHIELD 300H GREY)

Version: 3.0

(30398484/SDS_GEN_SG/EN)

Date of print 13.03.2010

S-phrase(s)
 S37

Wear suitable gloves.

May produce an allergic reaction.

Hazard determining component(s) for labelling: MIXTURE OF:
 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

Other regulations

16. Other Information

Due to the merger of Degussa Construction chemicals and BASF Group all Material Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes of the Material Safety Data Sheets. In case you have questions concerning such changes please contact us under the address mentioned in Section I.

Full text of hazard symbols and R-phrases if mentioned as hazardous components in chapter 2:

T	Toxic.
N	Dangerous for the environment.
23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
34	Causes burns.
43	May cause sensitization by skin contact.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.