

Safety data sheet

Page: 1/8

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.08.2009

Version: 1.0

Product: **MASTERTOP 1230 EW99AS 7012 PTA**

(30517608/SDS_GEN_EU/EN)

Date of print 25.08.2011

1. Substance/preparation and company identification

MASTERTOP 1230 EW99AS 7012 PTA

Company:

BASF South East Asia Pte Ltd.

7 Temasek Boulevard,

#35-01 Suntec Tower One, 038987, SINGAPORE

Contact address:

BASF SE

67056 Ludwigshafen

GERMANY

Telephone: +49 621 60-0

E-mail address: global.info@basf.com

Emergency information:

International emergency number:

Telephone: +49 180 2273-112

2. Hazard identification

Possible Hazards

Irritating to respiratory system.

Risk of serious damage to eyes.

May cause sensitization by skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Possible risk of impaired fertility.

3. Composition/information on ingredients

Chemical nature

Preparation based on: epoxy resin, dyestuff

Hazardous ingredients

according to Directive 1999/45/EC

bisphenol A

Content (W/W): > 10 % - < 25 %

CAS Number: 80-05-7

EC-Number: 201-245-8

INDEX-Number: 604-030-00-0

Hazard symbol(s): Xn

R-phrases: 37, 41, 43, 62

Phenol, polymer with formaldehyde, glycidyl ether

Content (W/W): > 1 % - < 15 %

CAS Number: 28064-14-4

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Content (W/W): > 0.1 % - < 5 %

CAS Number: 68609-97-2

EC-Number: 271-846-8

INDEX-Number: 603-103-00-4

Hazard symbol(s): Xi

R-phrases: 38, 43

The wording of the hazard symbols and R-phrases is specified in chapter 16 if dangerous ingredients are mentioned.

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

5. Fire-Fighting Measures

Suitable extinguishing media:
foam, water spray, dry extinguishing media, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:
carbon monoxide, carbon dioxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions:
Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.
For large amounts: Pump off product.

7. Handling and Storage

Handling

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.

Protection against fire and explosion:
The product does not contribute to the spreading of flames, nor is it self combustible, not explosive. Take precautionary measures against static discharges.

Storage

Further information on storage conditions: Keep only in the original container in a cool, well-ventilated place. Protect from direct sunlight. Store protected against freezing.

8. Exposure controls and personal protection

Components with workplace control parameters

80-05-7: bisphenol A (Content (W/W): > 10 % - < 25 %)

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

Form: paste
Colour: silver grey
Odour: odourless

Flash point: not applicable
Flammability: not self-igniting
Explosion hazard: not explosive

Density: 1.85 - 2.05 g/cm³
(25 °C)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.08.2009

Version: 1.0

Product: **MASTERTOP 1230 EW99AS 7012 PTA**

(30517608/SDS_GEN_EU/EN)

Date of print 25.08.2011

Miscibility with water: immiscible
Hygroscopy: Non-hygroscopic
Viscosity, dynamic: 5,100 - 7,600 mPa.s
(25 °C)
11,000 - 16,000 mPa.s

10. Stability and Reactivity

Conditions to avoid:
See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:
The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Information on: bisphenol A
Assessment of acute toxicity:
Of low toxicity after single ingestion. Of low toxicity after short-term skin contact.

Information on: bisphenol A
Experimental/calculated data:
LD50 rat (oral): approx. 5,000 mg/kg (OECD Guideline 401)

Information on: bisphenol A
Experimental/calculated data:
LC50 rat (by inhalation): > 0.17 mg/l 6 h

Irritation

Assessment of irritating effects:
Irritating to respiratory system. Risk of serious damage to eyes.

Information on: bisphenol A

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.08.2009

Version: 1.0

Product: **MASTERTOP 1230 EW99AS 7012 PTA**

(30517608/SDS_GEN_EU/EN)

Date of print 25.08.2011

Assessment of irritating effects:

Not irritating to the skin. Causes temporary irritation of the respiratory tract. May cause severe damage to the eyes.

Respiratory/Skin sensitization

Assessment of sensitization:

May cause sensitization by skin contact.

Reproductive toxicity

Assessment of reproduction toxicity:

Possible risk of impaired fertility.

12. Ecological Information

Ecotoxicity

Information on: bisphenol A

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. Depending on local conditions and existing concentrations, disturbances in the biodegradation process of activated sludge are possible.

Information on: bisphenol A

Toxicity to fish:

LC50 (96 h) 4.6 mg/l, Pimephales promelas (Flow through.)

The details of the toxic effect relate to the nominal concentration. Literature data.

Persistence and degradability

Information on: bisphenol A

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

Additional information

Other ecotoxicological advice:

The product has not been tested. The statement has been derived from the properties of the individual components. Do not allow to enter soil, waterways or waste water channels.

13. Disposal Considerations

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

RID

Not classified as a dangerous good under transport regulations

Inland waterway transport

ADNR

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Regulations of the European union (Labelling) / National legislation/Regulations

Directive 1999/45/EC ('Preparation Directive'):

Hazard symbol(s)

Xi

Irritant.

R-phrase(s)

R37

Irritating to respiratory system.

R41

Risk of serious damage to eyes.

R43

May cause sensitization by skin contact.

R52/53

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R62

Possible risk of impaired fertility.

S-phrase(s)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 20.08.2009

Version: 1.0

Product: **MASTERTOP 1230 EW99AS 7012 PTA**

(30517608/SDS_GEN_EU/EN)

Date of print 25.08.2011

S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S61	Avoid release to the environment. Refer to special instructions/safety data sheets.

The product is classified and labelled in accordance with EC Directives.

Other regulations

16. Other Information

Due to the merger of Degussa Construction chemicals and BASF Group all Material Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes of the Material Safety Data Sheets. In case you have questions concerning such changes please contact us under the address mentioned in Section I.

Full text of hazard symbols and R-phrases if mentioned as hazardous components in chapter 3:

Xn	Harmful.
Xi	Irritant.
37	Irritating to respiratory system.
41	Risk of serious damage to eyes.
43	May cause sensitization by skin contact.
62	Possible risk of impaired fertility.
38	Irritating to skin.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.