

Safety data sheet

Page: 1/6

BASF Safety data sheet
Date / Revised: 13.09.2010
Product: **UCRETE PRIMER RG PT3**(30498402/SDS_GEN_SG/EN)

Version: 1.0

Date of print 03.11.2010

1. Substance/preparation and company identification

UCRETE PRIMER RG PT3

Company:

BASF South East Asia Pte Ltd.
7 Temasek Boulevard,
#35-01 Suntec Tower One, 038987, SINGAPORE
Telephone: +65 6 337-0330
Telefax number: +65 6 334-0330
E-mail address: tommy.chng@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

3. Composition/information on ingredients

Chemical nature

Preparation based on: calcium salts

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Obtain medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

BASF Safety data sheet

Date / Revised: 13.09.2010

Version: 1.0

Product: **UCRETE PRIMER RG PT3**(30498402/SDS_GEN_SG/EN)

Date of print 03.11.2010

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Note to physician:

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

carbon dioxide, carbon monoxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions:

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

For large amounts: Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

Avoid raising dust.

7. Handling and Storage

Handling

Avoid dust formation. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Protection against fire and explosion:

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Keep away from sources of ignition - No smoking. Dust can form an explosive mixture with air.

Storage

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

8. Exposure controls and personal protection

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Wear chemical resistant protective gloves.
nitrile coated cotton gloves (e.g. EN 388, 374)

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

Form: powder
Colour: white to beige
Odour: odourless

BASF Safety data sheet

Date / Revised: 13.09.2010

Version: 1.0

Product: **UCRETE PRIMER RG PT3**(30498402/SDS_GEN_SG/EN)

Date of print 03.11.2010

pH value:	12.6 (20 °C)
Flash point:	not applicable
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Self ignition:	not self-igniting
Vapour pressure:	not applicable
Density:	2.24 g/cm ³ (20 °C)
Bulk density:	0.2 - 0.8 kg/m ³ (20 °C)
Solubility in water:	Literature data. 1.73 g/l (20 °C)
Partitioning coefficient n-octanol/water (log Pow):	not applicable
Viscosity, dynamic:	not applicable

10. Stability and Reactivity

Conditions to avoid:
See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:
The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion.

Experimental/calculated data:
LD50 rat (oral): 7,340 mg/kg

Irritation

BASF Safety data sheet

Date / Revised: 13.09.2010

Product: **UCRETE PRIMER RG PT3**(30498402/SDS_GEN_SG/EN)

Version: 1.0

Date of print 03.11.2010

Assessment of irritating effects:

Skin contact causes irritation. May cause severe damage to the eyes.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product gives rise to pH shifts. The product has not been tested. The statement has been derived from products of a similar structure or composition.

13. Disposal Considerations

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Regulations of the European union (Labelling)

EC-Number: 215-137-3

Directive 1999/45/EC ('Preparation Directive'):

Hazard symbol(s)

Xi

Irritant.

R-phrases(s)

BASF Safety data sheet

Date / Revised: 13.09.2010

Version: 1.0

Product: **UCRETE PRIMER RG PT3**(30498402/SDS_GEN_SG/EN)

Date of print 03.11.2010

R38 Irritating to skin.
R41 Risk of serious damage to eyes.

S-phrase(s)
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S39 Wear eye/face protection.

The product is classified and labelled in accordance with EC Directives.

Other regulations

16. Other Information

Due to the merger of Degussa Construction chemicals and BASF Group all Material Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes of the Material Safety Data Sheets. In case you have questions concerning such changes please contact us under the address mentioned in Section I.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.